| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|---|---|---------------------|---------|------------------|
| S89 | 16150 | (358/1.1, 358/1.9, 358/1.11-1.16). ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:36 |
| S90 | 0 | (compar\$5 analyz\$5) with (re adj2 reprint\$5) near2 (request\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:55 |
| S91 | 0 | (server\$5) adj10 (compar\$5 determin\$8 analyz\$5) adj10 (attribut\$5 parameter\$5 request\$5) adj10 (reprint\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:55 |
| S92 | 0 | (server\$5) adj10 (compar\$5 determin\$8 analyz\$5) adj10 (attribut\$5 parameter\$5 request\$5) adj10 (reprint\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:55 |
| S93 | 1 | (server\$5) adj10 (compar\$5 determin\$8 analyz\$5) with (reprint\$5 near4 request\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:55 |
| S94 | 2 | (print\$5 adj2 server\$5) same device near2 (dependent\$5) same (device near2 independent\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:55 |
| S95 | 7 | (server\$5) with (compar\$5 determin\$8 analyz\$5) with (attribut\$5 parameter\$5 request\$5) with (reprint\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |
| S96 | 2 | (compar\$5 analyz\$5) same (reprint\$5) near2 (request\$5) same (attribut\$5 parameter\$5 setting\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |
| S97 | 0 | (compar\$5 analyz\$5) with (re adj2 reprint\$5) near2 (request\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |

| | | LAST Searc | , | • | | |
|----------|---|---|---|----|----|------------------|
| S98 | 0 | (compar\$5 analyz\$5) with (re adj2 print\$5) near2 (request\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |
| S99 | 0 | (compar\$5 analyz\$5) with (re near2 print\$5) near2 (request\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |
| S10 0 | 0 | (reprint\$5 adj2 request\$5) near4 attribut\$5 same server\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |
| S10 1 | 0 | (reprint\$5 adj2 request\$5) with attribut\$5 same server\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |
| S10 2 | 0 | (compar\$5 analyz\$5) with (reprint\$5) near2 (request\$5) with (attribut\$5 parameter\$5 setting\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |
| S10 3 | 1 | (compar\$5 analyz\$5) with (reprint\$5) near2 (request\$5) same (attribut\$5 parameter\$5 setting\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |
| S10 4 | 1 | (compar\$5 analyz\$5) with (reprint\$5) near2 (request\$5) same (attribut\$5 parameter\$5 setting\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:56 |
| S10 5 | 0 | (print\$5 adj2 server\$5) with device near2 (dependent\$5) with (device near2 independent\$2) with (reserv\$5) with reprint\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:57 |
| S10 6 | 0 | (print\$5 adj2 server\$5) same device near2 (dependent\$5) same (device near2 independent\$2) same (reserv\$5) same reprint\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:57 |
| S10 7 | 0 | (print\$5 adj2 server\$5) same device near2 (dependent\$5) same (device near2 independent\$2) same (reserv\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:57 |

| S10 8 | 0 | (print\$5 adj2 server\$5) with (reprint\$5) with (EMF with raw) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:57 |
|----------|-----|---|---|----|----|------------------|
| S10 9 | 0 | (print\$5 adj2 server\$5) with (reprint\$5) same (EMF with raw) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:57 |
| S11 0 | 0 | (server\$5) adj10 (compar\$5 determin\$8 analyz\$5) adj10 (attribut\$5 parameter\$5 request\$5) adj10 (reprint\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:57 |
| S11 1 | 0 | (server\$5) adj10 (compar\$5 determin\$8 analyz\$5) adj10 (attribut\$5 parameter\$5 request\$5) adj10 (reprint\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 15:57 |
| S11 2 | 380 | (server\$5) with (compar\$5 determin\$8 analyz\$5) with (print\$5 near4 request\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:25 |
| S11 3 | 253 | (server\$5) adj10 (compar\$5 determin\$8 analyz\$5) with (print\$5 near4 request\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:25 |
| S11 4 | 0 | (server\$5) adj10 (compar\$5 determin\$8 analyz\$5) with (reprint\$5) with (format\$5 device near2 dependent\$2 with device near2 independent\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S11 5 | 0 | (server\$5) adj10 (compar\$5 determin\$8 analyz\$5) with (reprint\$5) with (intermediate\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S11 6 | 0 | (server\$5) with (compar\$5 determin\$8 analyz\$5) with (reprint\$5) with (intermediate\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S11 7 | 0 | (determin\$5 adj4 (type adj2 format\$5)) with reprint\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |

| S11 8 | 1 | (analyz\$5 compar\$5) with (format\$5) with reprint\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
|----------|----|---|---|----|-----|------------------|
| S11 9 | 1 | server\$5 with (determin\$5 analyz\$5 compar\$5) same (format\$5) same reprint\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S12 0 | 1 | server\$5 with (determin\$5 analyz\$5 compar\$5) same (format\$5) same reprint\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S12 1 | 4 | (compar\$5 analyz\$5) with (re near2 print\$5 reprint\$5) near2 (request\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S12 2 | 2 | (reprint\$5 adj2 request\$5) with attribut\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S12 3 | 2 | ("20050057774").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/07/28 16:26 |
| S12 4 | 2 | (compar\$5 analyz\$5) same (reprint\$5) near2 (request\$5) same (attribut\$5 parameter\$5 setting\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S12 5 | 2 | (print\$5 adj2 server\$5) same device near2 (dependent\$5) same (device near2 independent\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S12 6 | 52 | (print\$5 adj2 server\$5) with (reprint\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S12 7 | 7 | (server\$5) with (compar\$5 determin\$8 analyz\$5) with (attribut\$5 parameter\$5 request\$5) with (reprint\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |

| S12 | 8 | print\$5 adj2 server\$5 with | US-PGPUB; | OR | ON | 2006/07/28 16:26 |
|----------|-------|---|---|------|-----|------------------|
| 8 | 0 | (process\$5) with reprint\$2 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OK . | ON | 2000/07/20 10.20 |
| S12 9 | 8 | (determin\$5 with (format\$5)) with reprint\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:26 |
| S13 0 | 23 | (analyz\$5 compar\$5) same (format\$5) same reprint\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:27 |
| S13 1 | 47 | (OHTA near4 SATOSHI).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:32 |
| S13 2 | 17865 | (358/1.1, 358/1.9, 358/1.11-1.18). ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:37 |
| S13 3 | 2 | ("6089765").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/07/31 12:40 |
| S13 4 | 20066 | (358/1.1, 358/1.9, 358/1.11-1.18, 400/61, 400/70, 400/76).ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:37 |
| S13 5 | 1893 | (print\$5 adj2 server\$2) and S134 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 16:44 |
| S13 6 | 10 | (print\$5 adj2 server\$2) with reservation\$2 and S134 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 18:27 |

| | | | | _ | | |
|----------|---|---|---|----|----|------------------|
| S13 7 | 0 | (attribute\$3 same different\$5 same printer\$2 adj2 driver\$2 near4 name).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 18:28 |
| S13 8 | 0 | (printer\$2 adj2 driver\$2 adj2 name\$2 with reprint\$3).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 18:29 |
| S13 9 | 0 | (printer\$2 adj2 driver\$2 adj2 name\$2 same reprint\$3).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 18:29 |
| S14 0 | 9 | (printer\$2 same driver\$2 same name\$2 same job\$2).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 18:30 |
| S14 1 | 0 | (reprint\$5 with request\$5 same reservation\$2).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 18:31 |
| S14 2 | 0 | (reprint\$5 same request\$5 same reservation\$2).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 18:31 |
| S14 3 | 0 | (reprint\$5 same request\$5 same print\$5 adj2 job\$2).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/28 18:31 |